GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : AEE BBMP

b) Location of the Site : Byatarayanapura Ward

c) Area of the land : Vinayakanagara

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Granite Gneiss Rock

2) Recommended Site for drilling : Ward No. 05

3) Total depth to be drilled : 1150' to 1300'

4) Approx. casing pipe required : 150' to 180'

5) No. of water bearing Zones : - 4 -

6) No. of favourable spots marked : - 8 -

7) Qty. of water expected : 2" to 2½"

8) Method of survey carried out : Geo magnetic method

9) Remarks : 6"/12" Dia Bore Well Ws

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

P.T.O : Terms & Conditions

BOREWELL SITE PLAN



Scanned by CamScanner

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : AKK BORE

b) Location of the Site : Bhadarayanapura

c) Area of the land : Dinnerakeregapura
5th main 6th Cross

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Granite Gneiss

2) Recommended Site for drilling : Ward no. 05

3) Total depth to be drilled : 1220' to 1280'

4) Approx. casing pipe required : 180' - 200'

5) No. of water bearing Zones : - 4 -

6) No. of favourable spots marked : - 8 -

7) Qty. of water expected : 2 to 2½"

8) Method of survey carried out : Rotary mud circulation

9) Remarks : 8"/12" Dia Borewell

P.T.O. : Terms & Conditions

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

BOREWELL SITE PLAN



Scanned by CamScanner

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : AEE BBMP

b) Location of the Site : Byatarayanapura Sub Division

c) Area of the land : ~~Hiremaranahalli~~
Bagalur Enclave Kasaragodahalli

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Gneiss Granite Rocks

2) Recommended Site for drilling : Ward No. 05

3) Total depth to be drilled : 1200' to 1250'

4) Approx. casing pipe required : 100' to 180'

5) No. of water bearing Zones : - 8 -

6) No. of favourable spots marked : - 4 -

7) Qty. of water expected : 2 inch

8) Method of survey carried out : Geo mineralogical

9) Remarks : 6/12' Bore well OK

P.T.O. : Terms & Conditions

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

BOREWELL SITE PLAN



Scanned by CamScanner

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : AEE BBMP

b) Location of the Site : Byatarayanapura Lake Gas Quarters

c) Area of the land : Bagathi Enclave

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Granite Gneiss Quartz

2) Recommended Site for drilling : Ward No. 5

3) Total depth to be drilled : 1181' - 1250'

4) Approx. casing pipe required : 180' - 160'

5) No. of water bearing Zones : - 8 -

6) No. of favourable spots marked : - 4 -

7) Qty. of water expected : 2 Lpm

8) Method of survey carried out : Electrical method

9) Remarks : 6/12" Dia Borewell WS

P.T.O. : Terms & Conditions

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

BOREWELL SITE PLAN



Scanned by CamScanner

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL DATA OF SURVEY

a) Name of the Party : AEE BBMP

b) Location of the Site : Byatarayanapura Subdivn

c) Area of the land : Agrahara layout main Road

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Granogneiss Plain

2) Recommended Site for drilling : Ward No. 05

3) Total depth to be drilled : 1100' - 1200'

4) Approx. casing pipe required : 100' - 190'

5) No. of water bearing Zones : - 8 -

6) No. of favourable spots marked : - 4 -

7) Qty. of water expected : Dozen

8) Method of survey carried out : Geophysical method

9) Remarks : 8 1/2" dia Borewell 05

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

P.T.O. - Terms & Conditions

BOREWELL SITE PLAN



Scanned by CamScanner

Anganwadi School

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : AEE BBMP

b) Location of the Site : Brabeshwara Nagara Sub Div

c) Area of the land : Attahalli Layout & Main

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Granite Gneiss Rock

2) Recommended Site for drilling : Ward no. 05

3) Total depth to be drilled : 1180' to 1200'

4) Approx. casing pipe required : 180' to 190'

5) No. of water bearing Zones : - 3 -

6) No. of favourable spots marked : - 4 -

7) Qty. of water expected : 2½ inch

8) Method of survey carried out : Geo magnetic

9) Remarks : 6" Dia Borewell

P.T.O. : Terms & Conditions

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

BOREWELL SITE PLAN



Scanned by CamScanner

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : AEE BBMP

b) Location of the Site : B.Kadiravanahalli

c) Area of the land : Krishnarajapura

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Gneiss Granite Rock

2) Recommended Site for drilling : Ward No. 05

3) Toral depth to be drilled : 1150' - 1200'

4) Approx. casing pipe required : 1701 - 2001

5) No. of water bearing Zones : - 8 -

6) No. of favourable spots marked : - 4 -

7) Qty. of water expected : 2 Hrs

8) Method of survey carried out : Geo Physical method

9) Remarks : 6" / 12" Diameter Borewell

P.T.O. : Terms & Conditions

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

BOREWELL SITE PLAN



Scanned by CamScanner

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : AEE BBMP

b) Location of the Site : Byatarayanapura Ward

c) Area of the land : Agrahara Layout 6th Main

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Granite Gneiss

2) Recommended Site for drilling : W 5

3) Total depth to be drilled : 1200' - 1210'

4) Approx. casing pipe required : 180' - 210'

5) No. of water bearing Zones : - 8 -

6) No. of favourable spots marked : - 4 -

7) Qty. of water expected :

8) Method of survey carried out : Dhuses

9) Remarks : Recommended 6"/12" Borewell W5

P.T.O. : Terms & Conditions

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

BOREWELL SITE PLAN



Scanned by CamScanner

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : AEE BBMP

b) Location of the Site : Byadarayanapura Ward

c) Area of the land : Balaji layout Position

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Gneiss Granite Quarry

2) Recommended Site for drilling : N S

3) Total depth to be drilled : 1280' - 1320'

4) Approx. casing pipe required : 200' - 280'

5) No. of water bearing Zones : - 8 -

6) No. of favourable spots marked : - 4 -

7) Qty. of water expected : 2inch

8) Method of survey carried out : Geo physic method

9) Remarks : 6/12" Borewell WS

P.T.O. : Terms & Conditions

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

BOREWELL SITE PLAN



Scanned by CamScanner

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : AEE BBMP

b) Location of the Site : Byatarayanapura Sub Division

c) Area of the land : Prakruthi Layout 6th Main

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Granite Gneiss

2) Recommended Site for drilling : WS

3) Total depth to be drilled : 1000 L 1200

4) Approx. casing pipe required : 180', 120'

5) No. of water bearing Zones : - 8 -

6) No. of favourable spots marked : - 4 -

7) Qty. of water expected : 2 lpm

8) Method of survey carried out : Dowsing method

9) Remarks : 6" Borewell WS

P.T.O. : *Terms & Conditions*

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

BOREWELL SITE PLAN



Scanned by CamScanner

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : AEE BBMP

b) Location of the Site : Byadarayanapura Subdivision

c) Area of the land : Prabhavathi Badavane near Overhead Water

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Granite gneiss

2) Recommended Site for drilling : Yes

3) Total depth to be drilled : 1200' - 1250'

4) Approx. casing pipe required : 190' - 210'

5) No. of water bearing Zones : 8

6) No. of favourable spots marked : 4

7) Qty. of water expected : Decent

8) Method of survey carried out : Magnetic method.

9) Remarks : 6/12" Borewell Yes

P.T.O. : Terms & Conditions

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

BOREWELL SITE PLAN



Scanned by CamScanner

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : A K E BBMP

b) Location of the Site : Brateswaraandhra Sq Ward

c) Area of the land : Kogilu layout Main Road

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Granite Gneiss Rock

2) Recommended Site for drilling : W S

3) Total depth to be drilled : 1100' - 1200'

4) Approx. casing pipe required : 200' - 220'

5) No. of water bearing Zones : - 8 -

6) No. of favourable spots marked : - 4 - -

7) Qty. of water expected : 2 inch

8) Method of survey carried out : Geo Physical Method

9) Remarks : 6/4" Borewell W S

P.T.O. for Terms & Conditions

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

BOREWELL SITE PLAN



Scanned by CamScanner

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : AEE BBMP

b) Location of the Site : Byrasandra Kempegowda Ward

c) Area of the land : Pulikeshinagara Main

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Granite gneiss Rock

2) Recommended Site for drilling : WS

3) Total depth to be drilled : 1200' - 1300'

4) Approx. casing pipe required : 170' - 190'

5) No. of water bearing Zones : 2.

6) No. of favourable spots marked : 4 -

7) Qty. of water expected : Scarce

8) Method of survey carried out : Geo Hydrological

9) Remarks : 6"/12" Borewell WS

P.T.O. : Terms & Conditions

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

BOREWELL SITE PLAN



Scanned by CamScanner

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : AEE BBMP

b) Location of the Site : Byatarayanapura Ward

c) Area of the land : Sri Ramapura Near Kalliyamma Mandapa

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Granite Gneiss Quartz

2) Recommended Site for drilling : WS

3) Total depth to be drilled : 1200' - 1250'

4) Approx. casing pipe required : 200' - 280'

5) No. of water bearing Zones : 8 -

6) No. of favourable spots marked : 4 -

7) Qty. of water expected : Sufficient

8) Method of survey carried out : Geophysical method

9) Remarks : 6" / 12" Dia Borewell WS

P.T.O. - Terms & Conditions

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

BOREWELL SITE PLAN



Scanned by CamScanner